



Light-Up Your Dreams



LIGHTING SYSTEMS

A person stands on a rocky peak, looking out at a bright sun in a hazy sky. The sun is a large, glowing orb in the center of the frame, casting a warm, orange glow across the sky and the person's silhouette. The person is standing on a dark, rocky outcrop, and the foreground is filled with dark, silhouetted vegetation. The overall mood is contemplative and inspiring.

AND GOD SAID, “LET THERE BE LIGHT”

We at FYBROS design our lighting systems by drawing inspiration from the Sun, the ultimate source of energy.

The quality of light emanating from our state-of-the-art LEDs is a reflection of our inspired design expertise.

Today, we are here to light up the world and spread happiness.

About us

Fybros is a proficient brand of modern electrical goods in India; we construct a premium range of electrical products, which varies from Wires & Cables, Switches & Accessories, Switchgears to Lighting systems. Founded in 2012, Fybros comes from the house of Kundan Cab, started in 1968 in a small shop in Chennai with a vision to create electrical products, which brings an effective change to the lives of people.

We consider technology & innovation as one of our key pillars of growth. Therefore, we substantially invest in our R&D department to comply with the industry standards and modernize our products. We thrive on making an impact with our products.

Our ultra-modern manufacturing plants located at various locations such as Bhiwadi, Rajasthan; Vasai, Maharashtra; Hyderabad; Noida, UP; Anand, Gujarat; Bawana, Delhi, are well-equipped to fulfill the demand for Fast-Moving Electrical Goods (FMEG) sector. We are headquartered in New Delhi and have branch offices in Mumbai, Chennai, Bangalore, Kolkata and other major cities of India


LS-08 w.e.f. 01st April 2025



CUBE ELEGANT PANEL

CODE	WATT	SHAPE	LUMENS (PER WATT)	CUT SIZE (mm)	DIMENSION	DLP (₹)	STD. PKG.
FLS 5157/58/59	8	ROUND	100	100	115 X 37	234.00	40
FLS 5160/61/62	8	SQUARE	100	100	115 X 37	234.00	40
FLS 5169/70/71	15	ROUND	100	150	165 X 37	390.00	20
FLS 5172/73/74	15	SQUARE	100	150	165 X 37	390.00	20
FLS 5187/88/89	22	ROUND	100	200	220 X 37	606.00	20
FLS 5190/91/92	22	SQUARE	100	200	220 X 37	606.00	20

COLOURS : CW ☐ NW ☐ WW ☐




CUBE 3-IN-1 ELEGANT PANEL

CODE	WATT	SHAPE	LUMENS (PER WATT)	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5201	8	ROUND	100	100	115 X 37	280.00	40
FLS 5202	8	SQUARE	100	100	115 X 37	280.00	40
FLS 5203	15	ROUND	100	150	165 X 37	472.00	20
FLS 5204	15	SQUARE	100	150	165 X 37	472.00	20




OFF 5 Sec ON



FARO PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS (PER WATT)	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5051/52/53	3	ROUND	90	75	80 X 15	175.00	40
FLS 5075/76/77	3	SQUARE	90	75	80 X 15	175.00	40
FLS 5054/55/56	6	ROUND	90	100	120 X 15	228.00	40
FLS 5078/79/80	6	SQUARE	90	100	120 X 15	228.00	40
FLS 5057/58/59	12	ROUND	90	150	170 X 15	379.00	20
FLS 5081/82/83	12	SQUARE	90	150	170 X 15	379.00	20
FLS 5063/64/65	18	ROUND	90	200	220 X 15	609.00	20
FLS 5087/88/89	18	SQUARE	90	200	220 X 15	609.00	20


COLOURS : CW ☐ NW ☐ WW ☐





FARO SURFACE RING

CODE	WATT	SHAPE	LUMENS (PER WATT)	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5069	6	ROUND	N/A	N/A	124 X 26	71.00	40
FLS 5070	6	SQUARE	N/A	N/A	124 X 26	71.00	40
FLS 5071	12	ROUND	N/A	N/A	173 X 26	107.00	20
FLS 5072	12	SQUARE	N/A	N/A	173 X 26	107.00	20
FLS 5073	18	ROUND	N/A	N/A	225 X 26	141.00	20
FLS 5074	18	SQUARE	N/A	N/A	225 X 26	141.00	20




VIO PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7354/55/56	6	ROUND	100	100	115 X 40	217.00	40
FLS 7372/73/74	6	SQUARE	100	100	115 X 40	217.00	40
FLS 7357/58/59	10	ROUND	100	125	140 X 40	293.00	40
FLS 7375/76/77	10	SQUARE	100	125	140 X 40	293.00	40
FLS 7360/61/62	15	ROUND	100	150	165 X 40	343.00	20
FLS 7378/79/80	15	SQUARE	100	150	165 X 40	343.00	20
FLS 7363/64/65	22	ROUND	100	200	214 X 40	531.00	20
FLS 7381/82/83	22	SQUARE	100	200	214 X 40	531.00	20

COLOURS : CW ☐ NW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-----------------------	--	------------------	--	--------------------------------------	-------------	----------------------------------




VIO PRO PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7604/05/06	10	ROUND	100	100	115 X 40	193.00	40
FLS 7622/23/24	10	SQUARE	100	100	115 X 40	193.00	40
*FLS 7607/08/09	15	ROUND	100	125	140 X 40	266.00	40
*FLS 7625/26/27	15	SQUARE	100	125	140 X 40	266.00	40
*FLS 7610/11/12	20	ROUND	100	150	165 X 40	322.00	20
*FLS 7628/29/30	20	SQUARE	100	150	165 X 40	322.00	20
*FLS 7613/14/15	25	ROUND	100	200	214 X 40	510.00	20
*FLS 7631/32/33	25	SQUARE	100	200	214 X 40	510.00	20

COLOURS : CW ☐ NW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-----------------------	--	------------------	--	--------------------------------------	-------------	----------------------------------

LS-08 w.e.f. 01st April 2025



RAY PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7495/96/97	12	ROUND	100	100	130 X 30	187.00	40
*FLS 7498/99/00	12	SQUARE	100	100	130 X 30	187.00	40

COLOURS : CW ☐ NW ☐ WW ☐

Fits in 4 Inch Junction Box

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-----------------------	--	------------------	--	--------------------------------------	-------------	------------------------------




RAY PRO PANEL LIGHTS (With External Driver)

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7489/90/91	12	ROUND	100	100	130 X 30	234.00	40

COLOURS : CW ☐ NW ☐ WW ☐

Fits in 4 Inch Junction Box

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-----------------------	--	------------------	--	--------------------------------------	-------------	------------------------------



WAVE ULTRA SLIM PANEL

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7401/02/03	4	ROUND	90	75	85 X 22	180.00	40
FLS 7404/05/06	4	SQUARE	90	75	85 X 22	180.00	40
FLS 7407/08/09	6	ROUND	90	100	120 X 22	240.00	40
FLS 7410/11/12	6	SQUARE	90	100	120 X 22	240.00	40
FLS 7413/14/15	10	ROUND	90	125	150 X 22	335.00	40
FLS 7416/17/18	10	SQUARE	90	125	150 X 22	335.00	40
FLS 7425/26/27	15	ROUND	90	150	170 X 22	371.00	20
FLS 7428/29/30	15	SQUARE	90	150	170 X 22	371.00	20
FLS 7437/38/39	22	ROUND	90	200	225 X 22	523.00	20
FLS 7440/41/42	22	SQUARE	90	200	225 X 22	523.00	20
FLS 7443/44/45	30	ROUND	90	300	300 X 22	986.00	10
FLS 7446/47/48	30	SQUARE	90	300	300 X 22	986.00	10

COLOURS : CW ☐ NW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 4 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-----------------------	--	------------------	--	--------------------------------------	-------------	------------------------------

F-SQUARE - 2X2 PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5857	40	SQUARE	100	595 X 595	600 X 32	1363.00	6


COLOURS : CW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-----------------------	--	------------------	--	--------------------------------------	-------------	------------------------------

F-SQUARE - 2X2 CLAMP (4 Pcs. SET)

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 6010	N/A	N/A	N/A	N/A	N/A	191.00	1

LS-08 w.e.f. 01st April 2025




LUME DEEP PANEL

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7575/76/77	15	ROUND	100	115	120 X 50	517.00	20
FLS 7578/79/80	15	SQUARE	100	105	110 X 50	517.00	20

COLOURS : CW ☐ NW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	-----------------	--------------------------------------	-----------------------------------	------	-------------------




LUME DEEP PANEL

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7581/82/83	20	ROUND	100	150	155 X 55	659.00	20
FLS 7584/85/86	20	SQUARE	100	135	145 X 55	659.00	20

COLOURS : CW ☐ NW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	-----------------	--------------------------------------	-----------------------------------	------	-------------------



LUME DEEP PANEL

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7587/88/89	25	ROUND	100	170	175 X 55	819.00	20
FLS 7590/91/92	25	SQUARE	100	160	170 X 55	819.00	20

COLOURS : CW ☐ NW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	-----------------	--------------------------------------	-----------------------------------	------	-------------------



TRIO SLIM PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5031	3	ROUND	90	65	104 X 30	220.00	40
FLS 5037	6	ROUND	90	110	147 X 30	316.00	40
FLS 5043	12	ROUND	90	160	196 X 30	525.00	20
FLS 5034	3	SQUARE	90	65	104 X 30	220.00	40
FLS 5040	6	SQUARE	90	110	147 X 30	316.00	40
FLS 5046	12	SQUARE	90	160	196 X 30	525.00	20

COLOURS : PGB ☐


Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	-----------------	--------------------------------------	-----------------------------------	------	-------------------



STELO SURFACE PANEL

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7661/62/63	8	ROUND	90	N/A	100 X 32	203.00	40
FLS 7673/74/75	8	SQUARE	90	N/A	100 X 32	203.00	40
FLS 7664/65/66	15	ROUND	90	N/A	125 X 32	312.00	40
FLS 7676/77/78	15	SQUARE	90	N/A	125 X 32	312.00	40
FLS 7667/68/69	22	ROUND	90	N/A	150 X 32	425.00	20
FLS 7679/80/81	22	SQUARE	90	N/A	150 X 32	425.00	20
FLS 7670/71/72	30	ROUND	90	N/A	200 X 32	576.00	20
FLS 7682/83/84	30	SQUARE	90	N/A	200 X 32	576.00	20


COLOURS : CW ☐ NW ☐ WW ☐



KEYA FRAMELESS PANEL

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7001/02/03	6	ROUND	90	N/A	90 X 27	207.00	40
FLS 7016/17/18	6	SQUARE	90	N/A	90 X 27	207.00	40
FLS 7004/05/06	12	ROUND	90	N/A	120 X 27	353.00	20
FLS 7019/20/21	12	SQUARE	90	N/A	120 X 27	353.00	20
FLS 7007/08/09	18	ROUND	90	N/A	155 X 27	504.00	20
FLS 7022/23/24	18	SQUARE	90	N/A	155 X 27	504.00	20
FLS 7010/11/12	24	ROUND	90	N/A	190 X 27	707.00	20
FLS 7025/26/27	24	SQUARE	90	N/A	190 X 27	707.00	20


COLOURS : CW ☐ NW ☐ WW ☐



IMPEL SURFACE PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5325/26/27	8	ROUND	100	N/A	80 X 40	232.00	40
FLS 5331/32/33	15	ROUND	100	N/A	135 X 40	387.00	20

COLOURS : CW ☐ NW ☐ WW ☐



LS-08 w.e.f. 01st April 2025



F-TWIST SURFACE PANEL

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7325/26/27	8	ROUND	100	N/A	90 X 55	279.00	40
FLS 7334/35/36	10	ROUND	100	N/A	115 X 55	357.00	40
FLS 7328/29/30	15	ROUND	100	N/A	140 X 55	498.00	20
FLS 7331/32/33	22	ROUND	100	N/A	140 X 55	685.00	20

COLOURS : CW ☐ NW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------



MOON SURFACE PANEL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	MONO PKG.	STD. PKG.
FLS 5785/86/87/88	5	ROUND	100	N/A	65 X 18	105.00	20	100
FLS 5789/90/91								

COLOURS : CW ☐ NW ☐ WW ☐
BL ☐ GR ☐ RD ☐ PK ☐

Power Factor ≥ 0.9	Surge Protection up to 2.5 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	--------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------



ZEST STRIKER SURFACE LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	MONO PKG.	STD. PKG.
FLS 5878/79/80	3	ROUND	80	N/A	60 X 18	83.00	20	100
FLS 5881/82/83								

COLOURS : CW ☐ RD ☐ BL ☐
ww ☐ GR ☐ PK ☐

Power Factor ≥ 0.9	Surge Protection up to 2.5 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	--------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------



ZENO INTEGRATED LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	MONO PKG.	STD. PKG.
FLS 5841/42/43	3	ROUND	90	45	75 X 50	100.00	20	100
FLS 5844/45/46								

COLOURS : CW ☐ RD ☐ BL ☐
WW ☐ GR ☐ PK ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------

LS-08 w.e.f. 01st April 2025



ORA DOWN LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5892/93/94/95 FLS 5896/97/98	6	ROUND	90	80	110 X 50	130.00	50

COLOURS : CW NW WW
BL GR RD PK

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	-----------------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------



ORA 3-IN-1 DOWN LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7701	6	ROUND	90	80	110 X 50	169.00	50
COLOURS : CW YL NW							
FLS 7702	6	ROUND	90	80	110 X 50	169.00	50
COLOURS : RD BL PK							
FLS 7703	6	ROUND	90	80	110 X 50	169.00	50
COLOURS : BL GR IB							
FLS 7704	6	ROUND	90	80	110 X 50	169.00	50
COLOURS : GR PK CW							

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	-----------------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------

AIR DOWN LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	MONO PKG.	STD. PKG.
*FLS 7471/72/73 *FLS 7474/75/76/77	3	ROUND	90	45	75 X 26	74.00	20	100
FLS 7481/82/83 FLS 7484/85/86/87	6	ROUND	90	80	110 X 30	99.00	N/A	100

COLOURS : CW NW WW
BL GR RD PK

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	-----------------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------



LS-08 w.e.f. 01st April 2025



SILVIO PLUS INTEGRATED LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5832/33/34 FLS 5835/36/37	9	ROUND	90	80	110 X 50	185.00	50

COLOURS : CW RD BL
WW GR PK

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	-----------------	--------------------------------------	-----------------------------------	-------------	--------------------------



MAC DOWN LIGHTS - 7W

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7451/52/53/54 FLS 7455/56/57	7	ROUND	90	80	110 X 40	135.00	50

COLOURS : CW NW WW
BL GR RD PK

Power Factor ≥ 0.9	Surge Protection up to 4 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	-----------------	--------------------------------------	-----------------------------------	-------------	--------------------------



MAC DOWN LIGHTS - 10W

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7461/62/63/64 FLS 7465/66/67	10	ROUND	90	80	110 X 40	157.00	50

COLOURS : CW NW WW
BL GR RD PK

Power Factor ≥ 0.9	Surge Protection up to 4 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	-----------------	--------------------------------------	-----------------------------------	-------------	--------------------------

ROSO JUNCTION DOWN LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5337/38/39	8	ROUND	90	50	83 X 45	177.00	40
FLS 5340/41/42							
FLS 5343/44/45	15	ROUND	90	50	145 X 60	361.00	20
FLS 5346/47/48							

COLOURS : CW ☐ RD ☐ BL ☐
WW ☐ GR ☐ PK ☐

Power Factor ≥ 0.9 Surge Protection up to 3 KV CRI (Ra) > 80 Working Voltage AC 220-240V 50/60 Hz High Voltage Protection Upto 440V IP20 90% ENERGY SAVING

CELIA DOWN LIGHTS

OFF 5 Sec ON

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7390/91/92	8	ROUND	90	45	83 X 45	201.00	40
FLS 7393/94							
FLS 7395/96/97	12	ROUND	90	45	130 X 50	418.00	20
FLS 7398/99							

COLOURS : CW ☐ + WW ☐
CW ☐ + RD ☐ CW ☐ + BL ☐
CW ☐ + GR ☐ CW ☐ + PK ☐

Power Factor ≥ 0.9 Surge Protection up to 3 KV CRI (Ra) > 80 Working Voltage AC 220-240V 50/60 Hz High Voltage Protection Upto 440V IP20 90% ENERGY SAVING

UNO JUNCTION DOWN LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	MONO PKG.	STD. PKG.
FLS 7294/95/96/97	3	ROUND	80	45	75 X 30	90.00	20	100
FLS 7298/99/7300								

COLOURS : CW ☐ NW ☐ WW ☐
BL ☐ GR ☐ PK ☐ RD ☐

Power Factor ≥ 0.9 Surge Protection up to 3 KV CRI (Ra) > 80 Working Voltage AC 220-240V 50/60 Hz High Voltage Protection Upto 440V IP20 90% ENERGY SAVING

F-RING COB SPOT LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	MONO PKG.	STD. PKG.
FLS 5743/44/45	2	ROUND	65	35	42 X 20	63.00	20	100
FLS 5746/47/48								

COLOURS : CW ☐ WW ☐ RD ☐
BL ☐ GR ☐ PK ☐

Power Factor ≥ 0.9 Surge Protection up to 2.5 KV CRI (Ra) > 80 Working Voltage AC 220-240V 50/60 Hz High Voltage Protection Upto 380V IP20 90% ENERGY SAVING

NEO COB SPOT LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	MONO PKG.	STD. PKG.
FLS 5707/08/09	3	ROUND	90	55	70 X 37	108.00	20	100
FLS 5710/11/12/13								
FLS 5690/91/92/93	7	ROUND	90	80	110 X 55	183.00	-	50
FLS 5694/95/96								

COLOURS : CW ☐ NW ☐ WW ☐
BL ☐ GR ☐ RD ☐ PK ☐



Power Factor ≥ 0.5 Surge Protection up to 3 KV CRI (Ra) > 80 Working Voltage AC 220-240V 50/60 Hz High Voltage Protection Upto 380V IP20 90% ENERGY SAVING



PACE COB LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5760/61/77	5	ROUND	90	50	70 X 42	345.00	50
FLS 5762/63/78	10	ROUND	90	65	85 X 52	504.00	50
FLS 5764/65/79	15	ROUND	90	80	110 X 68	852.00	20
FLS 5768/69/81	25	ROUND	90	115	136 X 87	1150.00	20
FLS 5772/73/83	35	ROUND	90	135	160 X 90	1413.00	20


COLOURS : CW ☐ WW ☒ NW ☐



BLISS PC RING COB LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5959/60/61	6	ROUND	100	65	80 X 35	250.00	50
FLS 5962/63/64	9	ROUND	100	75	100 X 36	312.00	50
FLS 5965/66/67	12	ROUND	100	98	128 X 47	410.00	20



COLOURS : CW ☐ WW ☒ NW ☐



OPAL COB DOWN LIGHTS

CODE	WATT	CUP COLOUR	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5665/66/67	8	MET. SILVER	90	54	65 X 65	553.00	20
FLS 5668/69/70	8	MET. BLACK	90	54	65 X 65	553.00	20
FLS 5671/72/73	8	ROSE GOLD	90	54	65 X 65	553.00	20
FLS 5674/75/76	15	MET. SILVER	90	75	85 X 85	812.00	20
FLS 5677/78/79	15	MET. BLACK	90	75	85 X 85	812.00	20
FLS 5680/81/82	15	ROSE GOLD	90	75	85 X 85	812.00	20

COLOURS : CW ☐ NW ☐ WW ☒



F-SPRIT COB DOWN LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7342/43/44	7	ROUND	90	65	75 X 65	436.00	20
FLS 7345/46/47	12	ROUND	90	73	84 X 76	534.00	20
FLS 7348/49/50	18	ROUND	90	78	90 X 90	722.00	20


COLOURS : CW ☐ NW ☐ WW ☒

SIRIO SURFACE COB LIGHTS



CODE	WATT	BODY/CUP COLOUR	SHAPE	LUMENS	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7218/19/20	8	BK/MET.BK	ROUND	90	75 X 95	646.00	20
FLS 7221/22/23	8	BK/ROSE GOLD	ROUND	90	75 X 95	646.00	20
FLS 7227/28/29	8	WH/MET.BK	ROUND	90	75 X 95	646.00	20
FLS 7230/31/32	8	WH/ROSE GOLD	ROUND	90	75 X 95	646.00	20
FLS 7236/37/38	8	BK/MET.BK	SQUARE	90	75 X 95	646.00	20
FLS 7239/40/41	8	BK/ROSE GOLD	SQUARE	90	75 X 95	646.00	20
FLS 7245/46/47	8	WH/MET.BK	SQUARE	90	75 X 95	646.00	20
FLS 7248/49/50	8	WH/ROSE GOLD	SQUARE	90	75 X 95	646.00	20
FLS 7251/52/53	16	BK/MET.BK	ROUND	90	75 X 135	935.00	20
FLS 7254/55/56	16	BK/ROSE GOLD	ROUND	90	75 X 135	935.00	20
FLS 7260/61/62	16	WH/MET.BK	ROUND	90	75 X 135	935.00	20
FLS 7263/64/65	16	WH/ROSE GOLD	ROUND	90	75 X 135	935.00	20
FLS 7269/70/71	16	BK/MET.BK	SQUARE	90	75 X 135	935.00	20
FLS 7272/73/74	16	BK/ROSE GOLD	SQUARE	90	75 X 135	935.00	20
FLS 7278/79/80	16	WH/MET.BK	SQUARE	90	75 X 135	935.00	20
FLS 7281/82/83	16	WH/ROSE GOLD	SQUARE	90	75 X 135	935.00	20

COLOURS : CW ☐ NW ☐ WW ☐




TRAIL SURFACE LIGHTS



CODE	WATT	BODY	SHAPE	LUMENS	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7319/20/21	10	BLACK	ROUND	90	116 X 70 X 130	735.00	20
FLS 7322/23/24	10	WHITE	ROUND	90	116 X 70 X 130	735.00	20
FLS 7301/02/03	20	BLACK	ROUND	90	140 X 70 X 130	987.00	20
FLS 7304/05/06	20	WHITE	ROUND	90	140 X 70 X 130	987.00	20
FLS 7307/08/09	30	BLACK	ROUND	90	155 X 76 X 141	1142.00	20
FLS 7310/11/12	30	WHITE	ROUND	90	155 X 76 X 141	1142.00	20

COLOURS : CW ☐ NW ☐ WW ☐




LS-08 w.e.f. 01st April 2025



TRAIL TRACK LIGHTS

CODE	WATT	BODY	SHAPE	LUMENS	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7313/14/15	10	BLACK	ROUND	90	116 X 65 X 141	735.00	20
FLS 7316/17/18	10	WHITE	ROUND	90	116 X 65 X 141	735.00	20
FLS 5358/59/60	20	BLACK	ROUND	90	140 X 65 X 141	987.00	20
FLS 5361/62/63	20	WHITE	ROUND	90	140 X 65 X 141	987.00	20
FLS 5364/65/66	30	BLACK	ROUND	90	155 X 76 X 150	1142.00	20
FLS 5367/68/69	30	WHITE	ROUND	90	155 X 76 X 150	1142.00	20

COLOURS : CW ☐ NW ☐ WW ☐



WINK TRACK LIGHTS WITH DIP SWITCH

CODE	WATT	BODY COLOR	SHAPE	LUMENS (PER WATT)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7541	10	BLACK	ROUND	90	189 X 49 X 128	674.00	20
FLS 7545	10	WHITE	ROUND	90	189 X 49 X 128	674.00	20
FLS 7542	20	BLACK	ROUND	90	218 X 60 X 158	1024.00	20
FLS 7546	20	WHITE	ROUND	90	218 X 60 X 158	1024.00	20
FLS 7543	30	BLACK	ROUND	90	238 X 74 X 177	1197.00	20
FLS 7547	30	WHITE	ROUND	90	238 X 74 X 177	1197.00	20



OFF 5 Sec ON




WINK TRACK DOCK

CODE	WATT	BODY COLOR	SHAPE	LUMENS (PER WATT)	DLP (₹)	STD. PKG.
FLS 7549	10	BLACK	N/A	N/A	79.00	10
FLS 7550	10	WHITE	N/A	N/A	79.00	10

TRACK CHANNEL

CODE	SIZE	BODY	SHAPE	LUMENS	DLP (₹)	STD. PKG.
FLS 7341	1 Mtr	BLACK	N/A	N/A	310.00	20
FLS 7340	1 Mtr	WHITE	N/A	N/A	310.00	20





F-GLO LED STRIP LIGHTS (2835) - 60 LED (Per Mtr.)

CODE	WATT (PER MTR.)	LUMENS (PER LED)	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5370/71/72/73 FLS 5374/75/76/77	5	26	N/A	N/A	280.00	50

COLOURS : CW ☐ NW ☐ WW ☐ BL ☐ GR ☐ RD ☐ PK ☐ ICE BL ☐

IP20



F-GLO LED STRIP LIGHTS (2835) - 120 LED (Per Mtr.)

CODE	WATT (PER MTR.)	LUMENS (PER LED)	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5380/81/82/83 FLS 5384/85/86/87	9	26	N/A	N/A	403.00	50

COLOURS : CW ☐ NW ☐ WW ☐ BL ☐ GR ☐ RD ☐ PK ☐ ICE BL ☐

IP20



F-GLO LED STRIP LIGHTS (2835) - 240 LED (Per Mtr.)

CODE	WATT (PER MTR.)	LENGTH	LUMENS (PER MTR.)	DLP (₹)	STD. PKG.
FLS 5390/91/92/93/94	16	5 Mtr.	26	616.00	50

COLOURS : CW ☐ NW ☐ WW ☐ BL ☐ GR ☐

IP20



F-GLO FLEXIBLE ROPE LIGHTS (2835) - 120 LED (Per Mtr.)

CODE	WATT (PER MTR.)	LENGTH	LUMENS (PER LED)	DLP (₹)	STD. PKG.
FLS 7751/53/54/55/56/57	10	10 Mtr.	26	873.00	10

COLOURS : CW ☐ WW ☐ BL ☐ GR ☐ RD ☐ PK ☐

IP65



F-GLO LED ROPE LIGHTS (2835) - 120 LED (Per Mtr.)

CODE	WATT (PER MTR.)	LENGTH	LUMENS (PER LED)	DLP (₹)	STD. PKG.
FLS 7111/12/13/14/15 FLS 7116/17/18/19	10	50 Mtr.	26	3998.00	1

COLOURS : CW ☐ WW ☐ BL ☐ GR ☐ RD ☐ PK ☐ ICE BL ☐ AM ☐ NW ☐

IP65

LS-08 w.e.f. 01st April 2025



F-GLO NEON LED ROPE LIGHTS (2835) - 120 LED (Per Mtr.)

CODE	WATT	LENGTH	LUMENS (PER LED)	DLP (₹)	STD. PKG.
FLS 5541/42/43	12	50 Mtr.	26	7726.00	1
FLS 5544/45/46					

COLOURS : CW ☐ WW ☐ BL ☐ GR ☐ RD ☐ PK ☐

IP65



F-GLO STRIP DRIVER

CODE	AMP.	BODY	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 6001	2	AL	N/A	N/A	N/A	245.00	100
FLS 6002	3	AL	N/A	N/A	N/A	312.00	100
FLS 6003	5	AL	N/A	N/A	N/A	412.00	100
FLS 6004	10	AL	N/A	N/A	N/A	579.00	100

IP20



F-GLO ROPE LIGHTS (ADAPTOR/JOINTER)

CODE	PRODUCT	DLP (₹)	STD. PKG.
FLS 6011	2835 - 120 LED PIN TYPE	93.00	1
FLS 6019	2835 - 120 LED WIRE LESS	93.00	1
FLS 6021	2835 - 120 LED NEON PIN TYPE	125.00	1
FLS 6022	2835 - 120 LED ROPE JOINTER	25.00	25


ZIVA GLASS FLOOD LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7065	15	SQUARE	110	N/A	126X120X40	604.00	20
FLS 7069/70	30	SQUARE	110	N/A	185X182X44	976.00	20
FLS 7073/74	50	SQUARE	110	N/A	227X223X49	1295.00	10
FLS 7077/78	100	SQUARE	110	N/A	285X275X65	2314.00	10
FLS 7081	150	SQUARE	110	N/A	294X294X68	3187.00	5
FLS 7085	200	SQUARE	110	N/A	336X315X72	4346.00	5
FLS 7089	300	SQUARE	110	N/A	420X318X93	8625.00	1
FLS 7093	400	SQUARE	110	N/A	528X348X98	11106.00	1
FLS 7097	500	SQUARE	110	N/A	630X357X98	13135.00	1

COLOURS

CW ☐

WW ☐ (30W, 50W, 100W)*





ZIVA PRO GLASS FLOOD LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7075/76	50	SQUARE	110	N/A	185X182X44	1067.00	20
FLS 7079/80	100	SQUARE	110	N/A	227X223X49	1968.00	10
FLS 7087/88	200	SQUARE	110	N/A	285X275X65	3891.00	10

COLOURS

CW ☐

WW ☒ (50W, 100W, 200W)*

Power Factor ≥ 0.9	Surge Protection up to 5 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP66	90% ENERGY SAVING
--------------------	-----------------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------

PRISCA FLOOD LIGHTS



CODE	WATT	TYPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7154/55*	30	LENS	110	N/A	200X162X35	922.00	20
FLS 7157/58*	50	LENS	110	N/A	248X190X35	1130.00	10
FLS 7160/61*	100	LENS	110	N/A	295X218X41	2071.00	10
FLS 7166	200	LENS	110	N/A	383X281X44	4322.00	5

COLOURS

CW ☐ (30W, 50W, 100W, 200W)

WW ☒ (30W, 50W, 100W)*

Power Factor ≥ 0.9	Surge Protection up to 5 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP66	90% ENERGY SAVING
--------------------	-----------------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------

ZIO FLOOD LIGHTS



CODE	WATT	TYPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7722/23	30	LENS	110	N/A	180X130X30	755.00	20
FLS 7724/25	50	LENS	110	N/A	215X160X30	901.00	20
FLS 7726/27	100	LENS	110	N/A	280X200X30	1747.00	10

COLOURS

CW ☐ WW ☒

Power Factor ≥ 0.9	Surge Protection up to 5 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP66	90% ENERGY SAVING
--------------------	-----------------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------

ALORE STREET LIGHTS



CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7521	20	LENS	110	N/A	263X116X58	681.00	20
FLS 7524	24	LENS	110	N/A	263X116X58	719.00	20
FLS 7527	30	LENS	110	N/A	300X135X58	828.00	20
FLS 7530	36	LENS	110	N/A	300X135X58	865.00	20
FLS 7533/34*	50	LENS	110	N/A	350X170X65	1135.00	10
FLS 7539	100	LENS	110	N/A	385X200X75	2106.00	10

COLOURS

CW ☐ (20W, 24W, 30W, 36W, 50W, 100W)

WW ☒ (50W)*

Power Factor ≥ 0.9	Surge Protection up to 5 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP65	90% ENERGY SAVING
--------------------	-----------------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------

LS-08 w.e.f. 01st April 2025



ZURA STREET LIGHTS

CODE	WATT	TYPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7735	20	LENS	110	N/A	260 X 90 X 53	627.00	20
FLS 7737	24	LENS	110	N/A	260 X 90 X 53	660.00	20
FLS 7739	30	LENS	110	N/A	295 X 110 X 53	790.00	20
FLS 7741	36	LENS	110	N/A	295 X 110 X 53	804.00	20
FLS 7743/44*	50	LENS	110	N/A	345 X 128 X 63	1014.00	10
FLS 7745	72	LENS	110	N/A	345 X 128 X 63	1560.00	10
FLS 7747	100	LENS	110	N/A	400 X 153 X 68	1933.00	10

CW ☐ (20W, 24W, 30W, 36W, 50W, 72W, 100W)

WW ☐ (50W)*

Surge Protection up to 4 KV

110 LUMENS PER WATT

Power Factor ≥ 0.9

Hygrade Die Casting Aluminium

Working Voltage AC 220-240V 50/60Hz

IP65

ARON STREET LIGHTS

CODE	WATT	TYPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7651/52*	24	LENS	110	N/A	320 X 87 X 100	738.00	30
FLS 7653	36	LENS	110	N/A	350 X 87 X 100	946.00	25
FLS 7655	50	LENS	110	N/A	460 X 100 X 100	1183.00	20

COLOURS : CW ☐ WW ☐ (24W)*

Power Factor ≥ 0.9

Surge Protection up to 5 KV

CRI (Ra) > 80

Working Voltage AC 220-240V 50/60 Hz

High Voltage Protection Upto 440V

IP66

90% ENERGY SAVING

CEILO HIGH BAY LIGHTS

CODE	WATT	TYPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 5090	100	LENS	110	N/A	295 X 150	3196.00	5
FLS 5093	150	LENS	110	N/A	370 X 145	4586.00	3
FLS 5096	200	LENS	110	N/A	370 X 145	5503.00	3

COLOURS : CW ☐

Power Factor ≥ 0.9

Surge Protection up to 5 KV

CRI (Ra) > 80

Working Voltage AC 220-240V 50/60 Hz

High Voltage Protection Upto 440V

IP66

90% ENERGY SAVING

BEAM GATE LIGHT

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X H)	DLP (₹)	STD. PKG.
FLS 7057/59	24	N/A	90	N/A	170 X 270	962.00	16

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9

Surge Protection up to 4 KV

CRI (Ra) > 80

Working Voltage AC 220-240V 50/60 Hz

High Voltage Protection Upto 440V

IP54

90% ENERGY SAVING

ROVER GATE LIGHT

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X H)	DLP (₹)	STD. PKG.
FLS7063	B-22	N/A	N/A	N/A	320 X 230	631.00	12

IP20

LS-08 w.e.f. 01st April 2025




GAZE MINI WALL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 5792/93	6	N/A	80	N/A	82X82X65	446.00	40

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------




GAZE UP-DOWN WALL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 5795/96	6+6	N/A	80	N/A	145X80X65	643.00	20

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------




NOVA UP-DOWN WALL LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7180/81	3+3	N/A	80	N/A	148X82X66	434.00	20

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------




ELLEN HOME LIGHT

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (W X H)	DLP (₹)	STD. PKG.
FLS 7640/42	5	ROUND	100	N/A	106X81	517.00	20

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------



ELLEN HOME LIGHT

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7646/48	5	SQUARE	100	N/A	106X106X79	517.00	20

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------



ELLEN HOME LIGHT

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7637/39	10	ROUND	90	N/A	136X106X94	784.00	20

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------

LS-08 w.e.f. 01st April 2025

ELLEN HOME LIGHT

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7643/45	10	SQUARE	90	N/A	132X105X93	784.00	20

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------

LYSA BULK HEAD LIGHTS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 5351/53	10	N/A	90	N/A	170 X 70 X 48	180.00	40
FLS 5355/57	20	N/A	90	N/A	210 X 100 X 60	254.00	20

COLOURS : CW ☐ WW ☐

Power Factor ≥ 0.9	Surge Protection up to 3 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP54	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------

LINC T-5 WALL LIGHTS

CODE	WATT	SIZE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7201/03*	6	1 FT	100	N/A	N/A	126.00	40
FLS 7204/06*	12	2 FT	100	N/A	N/A	145.00	40
FLS 7192	25	4 FT	100	N/A	N/A	194.00	40
FLS 7213	36	4 FT	100	N/A	N/A	374.00	40
FLS 7195	40	4 FT	100	N/A	N/A	434.00	40

COLOURS : CW ☐ WW ☐ (6W & 12W)*

Power Factor ≥ 0.9	Surge Protection up to 4 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------

CASA T-5 WALL LIGHTS

CODE	WATT	SIZE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5623	25	4 FT	100	N/A	N/A	221.00	25
FLS 5626	36	4 FT	100	N/A	N/A	455.00	25
FLS 5632	45	4 FT	100	N/A	N/A	564.00	25

COLOURS : CW ☐

Power Factor ≥ 0.9	Surge Protection up to 4 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------

CASA 3-IN-1 T-5 WALL LIGHTS

CODE	WATT	SIZE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5426	22	4 Ft	100	N/A	N/A	382.00	25



OFF 5 Sec ON

Power Factor ≥ 0.9	Surge Protection up to 4 KV	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
-------------------------	------------------------------------	---------------	--------------------------------------	-----------------------------------	-------------	--------------------------

LS-08 w.e.f. 01st April 2025

RION T-5 INVERTOR WALL LIGHTS

CODE	WATT	SIZE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5225	10	2 FT	100	N/A	N/A	468.00	25
FLS 5227	20	4 FT	100	N/A	N/A	676.00	25

COLOURS : CW ☐



GIRA 3 IN 1 ROTATABLE WALL LIGHTS

CODE	WATT	BODY COLOR	SIZE (FT)	LUMENS (PER WATT)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7572	18	BLACK	2 FT	100	N/A	450.00	25
FLS 7574	36	BLACK	4 FT	100	N/A	697.00	25



SPELLO 3 IN 1 ROTATABLE MIRROR LIGHT

CODE	WATT	BODY COLOR	LUMENS (PER WATT)	SIZE (FT)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 7710	12	WHITE	100	1 FT	417 X 42 X 56	852.00	20
FLS 7711	12	BLACK	100	1 FT	417 X 42 X 56	852.00	20
FLS 7713	18	WHITE	100	2 FT	553 X 42 X 56	1010.00	20
FLS 7714	18	BLACK	100	2 FT	553 X 42 X 56	1010.00	20



FLICK PROFILE LIGHT

CODE	WATT	SIZE	LUMENS	CUT SIZE (mm)	DIMENSION (L X W X H)	DLP (₹)	STD. PKG.
FLS 5641/42/43	5	1 FEET	90	N/A	N/A	196.00	25
FLS 5644/45/46	10	2 FEET	90	N/A	N/A	285.00	25

COLOURS : CW ☐ NW ☐ WW ☐



LS-08 w.e.f. 01st April 2025



BLOOM PLUG & PLAY NIGHT LAMPS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5291/92/93/94 FLS 5295/96/97	0.5	N/A	N/A	N/A	N/A	57.00	60

COLOURS : CW ☐ WW ☐ RD ☐ BL ☐
GR ☐ OR ☐ PK ☐

CRI (Ra) > 80

Working Voltage AC 220-240V 50/60 Hz

High Voltage Protection Upto 380V

IP20

90% ENERGY SAVING



BLOOM PLUG & PLAY MULTICOLOR

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5300	0.5	N/A	N/A	N/A	N/A	71.00	60

COLOURS : MULTYCOLOUR ☐

CRI (Ra) > 80

Working Voltage AC 220-240V 50/60 Hz

High Voltage Protection Upto 380V

IP20

90% ENERGY SAVING



BLOOM LAMP PRO

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 7690/91/92 FLS 7693/94/95/96	0.5	N/A	N/A	N/A	N/A	48.00	60

COLOURS : CW ☐ WW ☐ RD ☐ BL ☐
GR ☐ OR ☐ PK ☐

CRI (Ra) > 80

Working Voltage AC 220-240V 50/60 Hz

High Voltage Protection Upto 380V

IP20

90% ENERGY SAVING



NUIT NIGHT LAMPS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5441/42 FLS 5443/44 FLS 5445/46/47	0.5	N/A	N/A	N/A	N/A	29.00	60

COLOURS : CW ☐ WW ☐ RD ☐ BL ☐
GR ☐ OR ☐ PK ☐

CRI (Ra) > 80

Working Voltage AC 220-240V 50/60 Hz

High Voltage Protection Upto 380V

IP20

90% ENERGY SAVING

LS-08 w.e.f. 01st April 2025



NUIIT MULTICOLOR NIGHT LAMPS

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5450	0.5	N/A	N/A	N/A	N/A	43.00	60

COLOURS : MULTYCOLOUR

CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 380V	IP20	90% ENERGY SAVING
---------------	--------------------------------------	-----------------------------------	------	-------------------



HYBRID LAMP

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5575	12	N/A	100	N/A	N/A	93.00	50
FLS 5581A	16	N/A	100	N/A	N/A	135.00	50
FLS 5587	20	N/A	100	N/A	N/A	193.00	30
FLS 5590	30	N/A	100	N/A	N/A	275.00	12
FLS 5593/95*	40	N/A	100	N/A	N/A	377.00	12
FLS 5596/98*	50	N/A	100	N/A	N/A	479.00	6
FLS 5599	60	N/A	100	N/A	N/A	625.00	6

COLOURS

CW ☐ (12W, 16W, 20W, 30W, 40W, 50W, 60W)

WW ☐ (40W, 50W)*

Power Factor ≥ 0.9	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
--------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------



HYBRID DUO INVERTER LAMP

CODE	WATT	SHAPE	LUMENS	CUT SIZE (mm)	DIMENSION (D X H)	DLP (₹)	STD. PKG.
FLS 5437	10	N/A	100	N/A	N/A	306.00	20

COLOURS : CW ☐

4 HOURS POWER BACKUP	Power Factor ≥ 0.9	CRI (Ra) > 80	Working Voltage AC 220-240V 50/60 Hz	High Voltage Protection Upto 440V	IP20	90% ENERGY SAVING
----------------------	--------------------	---------------	--------------------------------------	-----------------------------------	------	-------------------



**MY
SAFETY
MY
CHOICE**



BALAR MARKETING PVT. LTD.

Corporate Office: Plot No. J-48 & 49, Sec-63, Noida - 201301, Dist. Gautambudh Nagar, UP (INDIA)

Regd. Office: 217, Functional Industrial Estate, Patparganj, Delhi - 110 092 (INDIA)

Website: www.fybro's.com, Email: customercare@fybro's.com

Toll Free Customer Support: 1800-270-6334



SCAN this QR-code from
your smart phone to
visit our website

Call

1800-270-6334
(Customer Support)

My Fybro's App



7070706737
(Say "Hi" for quick connect)

